09 PRODUCT NEWS

+ Single Laptop Mount
+ Monitor Mount with Laptop Arm
+ HDMI™ Cables
+ Power Supplies
+ Wireless Charger with Stand Qi 2.2
+ Metal and Wood Drill Bit Set
+ Safety Knife
+ Desoldering Iron

wentronic

PRODUCT NEWS OVERVIEW

Single Laptop Mount

Monitor Mount with Laptop Arm

Soft High Speed HDMI™ Cable with Ethernet

Soft Ultra High Speed HDMI™ Cable

Ultra96 HDMI™ Cable

Micro-USB Power Supply (15 W)

USB-C™ Power Supply (15 W)

Power Supply for Raspberry Pi 5, 27 W, GaN

Wireless Charger with Stand Qi 2.2, 25 W

Metal and Wood Drill Bit Set, 16 Pcs.

Safety Knife

Trapezoidal Blades, Set of 10



Desoldering Iron

Desoldering Tips, Set of 5

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

Some of the images used in this document have been created or edited, in whole or in part, using an AI system. They are for illustrative purposes only and may differ from actual products.

Single Laptop Mount

for laptops from 10–15.6 inches (25–40 cm), max. 10 kg

10–15.6 inches **Max. 10 kg**

Convenient laptop mount for ergonomic placement of a mobile laptop up to 10 kg on your desk at home or in the office

Highly flexible with a 43 cm reach, height-adjustable, ±90° swivel (left/right) and ±45° tilt (up/down), ±180° rotation, recommended tabletop thickness: 10-85 mm

With its slim base, the robust laptop stand is the space-saving solution for your desk – for complete freedom and a clean look

With a perforated structure for effective air circulation, the laptop arm prevents potential heat build-up under the device

The integrated cable management system of the monitor mount protects the connection cables and ensures a clean look without cable clutter

Quick and easy installation: Either with a screw and drillhole or with the table clamp that can be removed without leaving any residue (mounting materials included)

Alternatively, it can also be used as a monitor mount for up to 10 kg, compatible with VESA standards 75x75 mm and 100x100 mm

				Packaging: Retail Box					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 42	79648	4040849796487	34.99 €	4	1	38.00 cm	30.50 cm	9.00 cm	3.950 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Monitor Mount with Laptop Arm

for laptops from 10–15.6 inches (25–40 cm) and monitors from 17–27 inches (43–69 cm), max. 10 kg

17–27 inches | **Max. 10 kg** | **10–15.6 inches** | **Max. 4 kg**

Flexible monitor mount with shelf for a mobile laptop that can serve as a second monitor in the office and be taken along to meetings at any time

Perfect for stable table mounting of a screen up to 10 kg and a laptop up to 4 kg, height-adjustable, ±90° swivel and ±45° tilt, ±180° rotation, recommended tabletop thickness: 10-85 mm

With its slim base, the robust monitor stand is a space-saving solution for your desk – for complete freedom and a clean look

With a perforated structure for effective air circulation, the laptop arm prevents potential heat build-up under the device

The integrated cable management system of the monitor mount protects the connection cables and ensures a clean look without cable clutter

Quick and easy installation: Either with a screw and drillhole or with the table clamp that can be removed without leaving any residue (mounting materials included)

The screen mount is compatible with VESA standards 75x75 mm and 100x100 mm

					Packaging: Retail Box					
Availability	**Item no.**	**EAN**	**RRP**	**Previous**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 42	79649	4040849796494	39.99 €	70815	4	1	38.00 cm	30.50 cm	9.00 cm	4.720 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Soft High Speed HDMI™ Cable with Ethernet

4K/60 Hz

4K @ 60 Hz **18 Gbit/s** **0.5–15.0 m**

Super soft and ultra-flexible: The soft cable sheath guarantees easy cable routing with a small bending radius – perfect for confined spaces, e.g. behind the television

The cable is suitable for high-resolution image transmission with Ultra HD at up to 4K @ 60 Hz (backward compatible) and a data rate of up to 18 Gbit/s

The HDMI cable achieves UHD resolutions of up to 4K @ /60 Hz (3840 × 2160p) and a data transfer rate of 18 Gbit/s max.

Flexible premium cable with slim metal plugs, bend protection and colour-matched textile cable

The braided textile sheath of the Goobay 4K cable provides a pleasant feel and is gentle on sensitive surfaces

The gold-plated plugs prevent corrosion and are especially durable

Universally suitable for many multimedia applications, e.g. projections from gaming, game consoles such as PlayStation 5 or Xbox, Fire TV, Apple TV, laptops and Blu-ray players

Packaging: Sleeve | Brown Box with Label

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 37	0.50 m	80720	4040849807206	7.99 €	80	1	10.00 cm	10.00 cm	1.50 cm	0.042 kg
● exp. from week 37	1.00 m	80721	4040849807213	8.99 €	60	1	12.00 cm	12.00 cm	2.00 cm	0.080 kg
● exp. from week 37	2.00 m	80726	4040849807268	9.99 €	48	1	12.00 cm	12.00 cm	2.60 cm	0.155 kg
● exp. from week 37	3.00 m	80727	4040849807275	14.99 €	36	1	16.00 cm	16.00 cm	3.50 cm	0.231 kg
● exp. from week 37	5.00 m	80728	4040849807282	19.99 €	32	1	16.50 cm	16.50 cm	4.00 cm	0.362 kg
● exp. from week 37	10.00 m	80729	4040849807299	29.99 €	10	1	22.00 cm	22.00 cm	6.00 cm	0.900 kg
● exp. from week 37	15.00 m	80730	4040849807305	29.99 €	8	1	24.00 cm	24.00 cm	8.00 cm	1.597 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Soft Ultra High Speed HDMI™ Cable

8K/60 Hz

8K @ 60 Hz / 4K @ 120 Hz | **48 Gbit/s** | **0.5–5.0 m**

Super soft and ultra-flexible: The soft cable sheath guarantees easy cable routing with a small bending radius – perfect for confined spaces, e.g. behind the television

The HDMI cable achieves crisp UHD resolutions of up to 8K @ 60 Hz and 4K @ 120 Hz (backwards compatible)

Supports a max. transfer rate of up to 48 Gbit/s for uncompressed 8K videos with HDR as well as ARC (Audio Return Channel), HDCP and 3D content

Flexible premium cable with slim metal plugs, bend protection and colour-matched textile cable

The braided textile sheath of the Goobay 4K cable provides a pleasant feel and is gentle on sensitive surfaces

The gold-plated plugs prevent corrosion and are especially durable

Universally suitable for many multimedia applications, e.g. projections from gaming, game consoles such as PlayStation 5 or Xbox, Fire TV, Apple TV, laptops and Blu-ray players

Packaging: Sleeve

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 37	0.50 m	80731	4040849807312	8.99 €	80	1	10.00 cm	10.00 cm	1.50 cm	0.042 kg
● exp. from week 37	1.00 m	80733	4040849807336	9.99 €	60	1	12.00 cm	12.00 cm	2.00 cm	0.080 kg
● exp. from week 37	2.00 m	80734	4040849807343	14.99 €	48	1	12.00 cm	12.00 cm	2.60 cm	0.156 kg
● exp. from week 37	3.00 m	80735	4040849807350	19.99 €	36	1	16.00 cm	16.00 cm	3.50 cm	0.233 kg
● exp. from week 37	5.00 m	80739	4040849807398	24.99 €	20	1	17.00 cm	17.00 cm	4.50 cm	0.424 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Ultra96 HDMI™ Cable

16K/60 Hz

16K @ 60 Hz / 8K @ 240 Hz (DSC) | **96 Gbit/s** | **0.5–3.0 m**

Ultra-high resolution: Up to 16K @ 60 Hz/8K @ 240 Hz (DSC) guarantee smooth, razor-sharp images – even on large televisions and large-format stage or stadium displays

Ultra-high data rates: 96 Gbit/s doubles the previously possible transmission rate and ensures fast, smooth images in gaming or sports broadcasts

Top entertainment: Ideal for audio-video transmission, e.g. from game consoles (PlayStation 5, Xbox), streaming services and receivers (Amazon Fire TV, Apple TV) to TVs, monitors or projectors

High-contrast, colour-accurate images: Supports Dynamic HDR and uncompressed full chroma formats such as 8K @ 60 Hz/4:4:4 or 4K @ 240 Hz/4:4:4 with 10-bit and 12-bit colour depth

Seamless images for gaming: Quick Frame Transport (QFT) ensures interactive real-time VR, while variable refresh rate (VRR) reduces latency and stuttering

The braided textile sheath of the connection cable provides a pleasant feel and is gentle on sensitive surfaces

goobay® Plus Series



Packaging: Sleeve

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 41	0.50 m	80289	4040849802898	12.99 €	84	1	10.00 cm	10.00 cm	1.50 cm	0.070 kg
● exp. from week 41	1.00 m	80290	4040849802904	14.99 €	80	1	12.00 cm	12.00 cm	2.00 cm	0.090 kg
● exp. from week 41	2.00 m	80296	4040849802966	24.99 €	60	1	12.00 cm	12.00 cm	2.60 cm	0.166 kg
● exp. from week 42	3.00 m	80297	4040849802973	29.99 €	36	1	16.00 cm	16.00 cm	3.50 cm	0.262 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Micro-USB Power Supply (15 W)

universal charger for devices with Micro-B port



100-240 V (AC) | **Max. 15 W** | **3 A** | **1x Micro-USB** | **1.5 m**

USB charger for feeding small devices with up to 15 W/3 A, e.g., smartphones, tablets, e-readers, power banks, Bluetooth headphones, and speakers

Perfect as a replacement power adapter for a defective original power adapter with Micro-B charger plug

The lightweight, slim design is comfortable to use and makes the Micro-USB charger the ideal travel companion

With a 1.5 m cable length, the Goobay power supply provides complete freedom of movement – when connected at home, in a hotel, or in the office

The integrated protective electronics protect connected devices against overcurrent, overcharging, and overheating

With an input voltage range of 100-240 V (AC), the Goobay USB charger can also be used abroad

Compatible with many smartphones and tablets such as the Samsung Galaxy series, Sony, Huawei, LG, and Xiaomi

goobay® Essential Charger

				Packaging: Bulk					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 40	79613	4040849796135	19.99 €	40	1	10.50 cm	5.00 cm	11.00 cm	0.130 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

USB-C™ Power Supply (15 W)

universal charger for devices with USB-C™ port

100-240 V (AC) | **Max. 15 W** | **3 A** | **1x USB-C™** | **1.5 m**

USB-C™ charger for feeding small devices with up to 15 W/3 A, e.g., smartphones, tablets, e-readers, power banks, Bluetooth headphones, and speakers

Perfect as a replacement power adapter for a defective original power adapter with USB-C™ charger plug

The lightweight, slim design is comfortable to use and makes the USB-C™ charger the ideal travel companion

With a 1.5 m cable length, the Goobay power supply provides complete freedom of movement – when connected at home, in a hotel, or in the office

The integrated protective electronics protect connected devices against overcurrent, overcharging, and overheating

With an input voltage range of 100-240 V (AC), the Goobay USB charger can also be used abroad

Compatible with many smartphones and tablets such as the Samsung Galaxy series, Apple iPhone and iPad, Sony, Huawei, LG, and Xiaomi

goobay® Essential Charger

				Packaging: Bulk					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 40	79614	4040849796142	14.99 €	40	1	10.50 cm	5.00 cm	11.00 cm	0.130 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Power Supply for Raspberry Pi 5, 27 W, GaN, white

compact replacement power supply with USB-C™ plug

100-240 V (AC) | **Max. 27 W** | **GaN** | **1x USB-C™ PD** | **1.25 m**

Compatible with the Raspberry Pi 5 and Raspberry Pi 4 and specially tailored to the higher power requirements of the Pi 5

Ideal as a replacement power supply unit for a defective, original Raspberry Pi power adapter

Extremely slim design: Semiconductors with GaN technology allow for faster, more efficient charging and a lighter, more compact design compared to conventional chargers

Supports Power Delivery and the voltage profiles 5 V, 9 V, 12 V and 15 V, so that the RPi is also reliably supplied when power-intensive components are connected

Can also be used as a USB charger for smartphones and tablets from popular brands, e.g. Apple iPhone, Apple iPad, Samsung Galaxy, Xiaomi, LG and Huawei

With a wide input range from 100 V to 240 V (AC) via Europlug (type C, CEE 7/16) and output via USB-C cable (1.25 m)

Dimensions of the USB power supply without cable:
64.4 x 31 x 80 mm

				Packaging: Bulk					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 40	80421	4040849804212	10.99 €	40	1	8.70 cm	5.70 cm	13.50 cm	0.155 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Wireless Charger with Stand Qi 2.2, 25 W

magnetic wireless charger with Qi 2.2 certification for smartphones and accessories that support the Qi standard

Qi 2.2 | **Max. 25 W** | **USB-C™ PD** | **1.2 m**

Wireless charger for Qi-enabled devices such as smartphones and headphones, with extremely high charging power and particularly strong magnets for a secure hold without shifting

The charging pad supports Qi 2.2 and Power Delivery fast charging technology and, with up to 25 W, offers significantly more charging power than a conventional inductive charger

With an input of ≥36 W via USB-C™, the mobile phone charging station transfers an effective output of up to 25 W to the smartphone

With the fold-out stand, the smartphone can be used in portrait and landscape format during charging – ideal for video calls, social media, gaming apps and video streaming

The high-quality braided textile cable ensures exceptional robustness and is permanently attached – always with you, always at hand (USB-C™, cable length 1.2 m)

The protective electronics switch off the inductive charging station before it becomes overcharged or in the event of a foreign object detection (FOD)

Qi technology is supported by popular manufacturers and models, e.g. Apple iPhone, AirPods, Samsung Galaxy, Google Pixel, Sony, Huawei, LG and Xiaomi

				Packaging: Retail Box					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 41	80354	4040849803543	29.99 €	40	1	12.20 cm	9.10 cm	2.30 cm	0.117 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Metal and Wood Drill Bit Set, 16 Pcs.

with hex shank, in a robust carrying case, compatible with the 77817 and 77818 cordless screwdrivers

16 pcs.

Drill bit set with 16x sharp drill bits for through and blind holes in metal and wood, perfect for furniture assembly, repairs or for screw and dowel holes

With hexagonal shank for insertion into the chuck of a cordless screwdriver, drill or impact drill – secure fit and no slipping under high load

8x metal drill bits made of high-speed steel (HSS) with titanium coating and diameters of 1.5 mm, 2 mm, 2.5 mm, 3 mm, 3.5 mm, 4 mm, 5 mm, 6 mm

8x wood drill bits for soft and hard wood, with diameters of 3 mm, 3.2 mm, 3.5 mm, 4 mm, 4.5 mm, 5 mm, 5.5 mm, 6 mm

The coating ensures exceptional durability through heat resistance as well as protection against wear and corrosion

With a centring tip for exact positioning and precise guidance whilst working, ensuring the drill hole does not tear

For easy reference, the individual drill bits and their slots in the box are marked with their respective diameters

				Packaging: Retail Box					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 40	80403	4040849804038	9.99 €	20	1	15.20 cm	10.40 cm	4.40 cm	0.370 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Safety Knife

auto retract, with 4x replacement tips

Ergonomically shaped utility knife with self retracting blade for safe cutting of cardboard, film, adhesive tape, plastic, etc.

At the end of the cutting edge, the blade automatically retracts into the handle – for maximum safety in logistics, warehousing, retail and trade

Blade projection: max. 2.3 cm

The safety blade slider is positioned centrally on the top, making it comfortable to use for both right- and left-handed users

The supplied replacement blades are stored in the compartment of the handle and are always within easy reach – at home, in the warehouse, on the construction site

The switch on the top releases the used blade for replacement and securely locks the new blade into the box cutter

The professional safety knife is made of robust metal, ensuring exceptional durability and impact resistance compared to plastic versions

				Packaging: Retail Box					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 40	80219	4040849802195	9.99 €	100	1	16.70 cm	5.40 cm	3.50 cm	0.130 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Trapezoidal Blades, Set of 10

replacement blades for safety knife 80219

Compatible with the utility knife featuring automatic blade retraction for safe cutting of cardboard, film, adhesive tape, plastic, etc.

Ideal as new, sharp knife blades for the utility knife when the original blades are damaged or blunt

The trapezoidal cutter blades are double-sided and particularly sturdy thanks to their short bevel – for long-lasting, reliable use

With their rounded tips, the blades reduce the risk of injury and ensure safe handling

The spare universal blades can simply be stored in the compartment of the knife handle and are always to hand – at home, in the warehouse, on the construction site



				Packaging: Bulk					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 40	80402	4040849804021	2.99 €	100	1	6.50 cm	2.30 cm	1.00 cm	0.046 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Desoldering Iron

40 W, electric desoldering pump iron for removing solder



The 2-in-1 solution: Desoldering iron with pump for heating and extracting excess solder, flux, old solder and soft solder – practical for electrical engineering and model making

Perfect for soldering work and repairs to electronic components, cables, printed circuit boards (PCBs) or musical equipment

Easy one-handed use: Heat up the desoldering tool, prime the solder pump, melt the solder joint and trigger the pump to suck out the solder

The collection tray for the extracted solder is easy to empty and clean

The tip of the solder removal tool is replaceable (replacement tip not included)

Includes metal stand for safe storage of the heated solder sucker iron and a cleaning needle for the soldering tip

Cable with earth-connected plug (type E/F) and PVC sheath, cable length: 1.35 m

				Packaging: Retail Box					
Availability	**Item no.**	**EAN**	**RRP**	**Pcs./master carton**	**Pcs./PU**	**Length**	**Width**	**Height**	**Weight**
● exp. from week 39	80481	4040849804816	14.99 €	50	1	28.80 cm	6.00 cm	4.20 cm	0.294 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Desoldering Tips, Set of 5

replacement tips for desoldering iron 80481



Ideal as a replacement desoldering tip for the desoldering iron if the original tip is damaged or permanently blocked

Designed as an accessory for heating and removing excess solder, flux, old solder and soft solder – handy for electrical engineering and model making

Perfect as a desoldering iron tip for soldering work and repairs to electronic components, cables, printed circuit boards (PCBs) or music equipment

The desoldering tip is suitable for soft soldering at temperatures up to 480 °C

				Packaging: Bulk					
Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from week 38	80422	4040849804229	2.99 €	100	1	16.70 cm	11.00 cm	6.00 cm	0.342 kg

Wentronic GmbH
Pillmannstraße 12, 38112 Braunschweig (Germany) | Tel/Fax: +49 (0)531-21058-0 /-22 | www.wentronic.com
Product and packaging images may vary. Errors and omissions excepted.

wentronic

Our principle

“A good deal should be win-win!”

wentronic

Thank you for taking an interest

If you have any questions or are interested in joint marketing campaigns, we look forward to hearing from you. Please feel free to contact us at any time.

Wentronic GmbH
Pillmannstraße 12
38112 Braunschweig
Tel/Fax: +49 (0)531-21058-0 /-22
www.wentronic.com

Some of the images used in this document have been created or edited, in whole or in part, using an AI system. They are for illustrative purposes only and may differ from actual products.