

# USB-C™ TO HDMI™ ADAPTER CABLE

Smooth streaming and presenting in 4K over one metre and many years. The reason: a strong plug, gold-plated connectors and a flexible triple shielded premium cable.



## A PLUG THAT PROTECTS AGAINST CABLE BREAKAGE

The plug of the Clicktronic USB- $C^{\mathbb{M}}$  to HDMI<sup> $\mathbb{M}$ </sup> adapter cable consists of three ABS and PVC parts, making it both flexible and robust: if you, for instance, pull the cable with a jerk, it absorbs some of the energy and protects the inner conductor.

### GOLD-PLATED CONNECTORS TO ENSURE A LONG SERVICE LIFE

TTo make sure that the connectors remain rust-free, they are coated with 24 Carat gold. This prevents them from oxidising. Plus: unlike many materials, gold is excellent at transmitting signals – for resistance-free transmission, completely without any interruptions.

#### TRIPLE SHIELDED TO AVOID FLICKERING

No flickering, even if several cables run in parallel or the smartphone is lying right next to the cable: the triple shielding consisting of aluminium foil and copper braiding intercepts interfering signals. Even with stronger electromagnetic fields.

## TC INNER CONDUCTORS FOR MAXIMUM SIGNAL QUALITY

Pin-sharp images, brilliant audio – even after years: the copper inner conductors are covered with a thin layer of tin (TC) to prevent them from coming into contact with water and oxygen. This means that they do not oxidise or corrode and they transmit signals excellently, just like on the very first day.

#### A FLEXIBLE AND ROBUST PVC JACKET

The robust PVC jacket protects the Clicktronic USB- $\mathbb{C}^{\mathbb{M}}$  to  $\mathsf{HDMl^{\mathbb{M}}}$  adapter cable and keeps it flexible enough to bend around any corner – no matter how long it has spent in one position. The reason: the PVC does not absorb water, even in humid conditions. This means that the cable does not become porous.

SUBJECT TO CHANGE. MODEL SIMILAR. USB TYPE-C" AND USB-C" ARE REGISTERED TRADEMARKS OF THE USB IMPLEMENTERS FORUM. HDMI", THE HDMI" LOGO AND HIGH-DEFINITION MULTIMEDIA INTERFACE ARE TRADEMARKS OR REGISTERED TRADEMARKS OF THEIR RESPECTIVE OWNERS.

### clicktronie



## USB-C™ TO HDMI™ ADAPTER CABLE



#### HIGH RESOLUTION OVER ONE METRE

Smooth streaming, presenting and gameplay: The Clicktronic USB- $\mathbb{C}^{\mathbb{M}}$  to HDMI $^{\mathbb{M}}$  adapter cable allows you to transmit signals from a computer to a screen – over one metre and with a resolution of up to 4K (3840 × 2160 px) at 60 Hz.



The USB- $\mathbb{C}^{\mathbb{N}}$  plug is designed not to have a top and bottom. This makes it particularly easy to insert and mobile devices can be connected to a television in no time.



NPUT



#### ALL ADVANTAGES AT A GLANCE

#### HIGH RESOLUTION

From up to 4K (3840×2160 px) at 60 Hz with 32 4 Ghit /s

#### **EASY TO INSERT**

Thanks to a USB- $\mathbb{C}^{\mathbb{M}}$  plug with the same top and bottom.

#### **BRILLIANT SIGNAL QUALITY**

Does not corrode or oxidise thanks to a tinned copper inner conductor (TC).

#### NO FLICKERING

Thanks to triple insulation.

#### FLEXIBLE AND ROBUST CABLE

Thanks to the PVC jacket, which can be bent optimally even after years.

#### STRONG PLUG

PVC and ABS ensure maximum flexibility in the event of a jerk on the cable.

#### **RUST-FREE CONNECTOR**

Even after years – thanks to a 24 Carat gold coating.

SUBJECT TO CHANGE. MODEL SIMILAR. USB TYPE-C" AND USB-C" ARE REGISTERED TRADEMARKS OF THE USB IMPLEMENTERS FORUM. HDMI", THE HDMI" LOGO AND HIGH-DEFINITION MULTIMEDIA INTERFACE ARE TRADEMARKS OR REGISTERED TRADEMARKS OF THEIR RESPECTIVE OWNERS.




## USB-C™ TO HDMI™ ADAPTER CABLE

#### SIGNAL TRANSMISSION

TRANSMISSION TYPES: digital audio and video signals MAX. TRANSMISSION RATE (Gbit/s): 18

#### CABLE CROSS-SECTION




#### SUPPORTED STANDARDS

USB PD 3.0, USB PD 2.0

#### PRODUCT DATA

CABLE LENGTH	Ø INNER CONDUCTOR	AWG	Ø OUTER JACKET
1 m	7×0.08 mm	32	4.8 mm

#### CIRCUIT DIAGRAM



CABLE LENGTH	RRP	Packaged unit	SKU	EAN
1.0 m	29.99 €	1/20/40	44928	4040849449284
2.0 m	39.99 €	1/20/40	44929	4040849449291
3.0 m	49.99 €	1/15/30	44930	4040849449307

SUBJECT TO CHANGE. MODEL SIMILAR. USB TYPE-C\* AND USB-C\* ARE REGISTERED TRADEMARKS OF THE USB IMPLEMENTERS FORUM. HDMI\*, THE HDMI\* LOGO AND HIGH-DEFINITION MULTIMEDIA INTERFACE ARE TRADEMARKS OR REGISTERED TRADEMARKS OF THEIR RESPECTIVE OWNERS.