


# COAXIAL CABLE

For outstanding cable television: transmits audio and visual signals up to 20 metres and over many years. The reason: a strong plug, gold-plated connectors and a flexible double shielded premium cable.



## A PLUG THAT PROTECTS AGAINST CABLE BREAKAGE

The plug of the Clicktronic Coaxial cable consists of three ABS and PVC parts, making it both flexible and robust: if you, for instance, pull the cable with a jerk, it absorbs some of the energy and protects the inner conductor.

## GOLD-PLATED CONNECTORS TO ENSURE A LONG SERVICE LIFE

To make sure that the connectors remain rust-free, they are coated with 24 Carat gold. This prevents them from oxidising. Plus: unlike many materials, gold is excellent at transmitting signals – for resistance-free transmission, completely without any interruptions.

## DOUBLE SHIELDED TO AVOID FLICKERING

No flickering, even if several cables run in parallel or the smartphone is lying right next to the cable: the double shielding consisting of aluminium foil and copper braiding intercepts interfering signals. Even with stronger electromagnetic fields.


## A FLEXIBLE AND ROBUST PVC JACKET

The robust PVC jacket protects the Clicktronic Coaxial cable and keeps it flexible enough to bend around any corner – no matter how long it has spent in one position. The reason: the PVC does not absorb water, even in humid conditions. This means that the cable does not become porous.

## OFC INNER CONDUCTORS FOR BRILLIANT SIGNAL QUALITY

Pin-sharp images, brilliant audio – even after years: the inner conductors made from 99.9% oxygen-free copper (OFC) are designed not to come into contact with oxygen. This means that they do not oxidise and they transmit signals excellently, just like on the very first day.

# COAXIAL CABLE



## STRONG TRANSMISSION, FREE FROM INTERFERENCE

With the Clicktronic Coaxial cable, signals arrive brilliantly in full strength: strong 90 dB shielding keeps the signal free of interruptions – even if you, for instance, have a wireless telephone in the house. At the same time, the wave impedance of the cable with 75 Ohm corresponds exactly to the impedance of TV and radio technology. This means that the signal does not encounter any resistance and reaches the television, receiver or radio without losses.

## FOR OUTSTANDING TV EXPERIENCES

The Clicktronic Coaxial cable transmits analogue and digital video and audio signals – from a cable connection or satellite system to a television, receiver or radio. Over 1 to 20 metres.



INPUT



OUTPUT

## ALL ADVANTAGES AT A GLANCE

### TRANSMITS AUDIO AND VIDEO SIGNALS

Transmits analogue and digital signals from the cable connection and satellite to a TV, receiver or radio. Over 1 to 20 metres.

### STRONG TRANSMISSION

Free from interference thanks to 90 dB shielding. Without losses thanks to 75 Ohm wave impedance.

### BRILLIANT SIGNAL QUALITY

No oxidation thanks to an inner conductor made from 99.9% oxygen-free copper (OFC).

### NO FLICKERING

Thanks to double insulation.

### FLEXIBLE AND ROBUST CABLE

Thanks to the PVC jacket, which can be bent optimally even after years.

### STRONG PLUG

PVC and ABS ensure maximum flexibility in the event of a jerk on the cable.

### RUST-FREE CONNECTOR

Even after years – thanks to a 24 Carat gold coating.

# COAXIAL CABLE

## SIGNAL TRANSMISSION

TRANSMISSION TYPES: analogue and digital audio and video signals


SHIELDING EFFECTIVENESS (dB): 90

WAVE IMPEDANCE ( $\Omega$ ): 75


## CIRCUIT DIAGRAM

P1 KOAX (M)

P2 KOAX (F)



## CABLE CROSS-SECTION



## PRODUCT DATA

CABLE LENGTH	Ø INNER CONDUCTOR	AWG	Ø OUTER JACKET	Ø FERRITE CORE
1-20 m	1×0.65 mm	22	6.0 mm	14 mm

CABLE LENGTH	RRP	Packaged unit	SKU	EAN
1.0 m	12.99 €	1/20/40	70399	4040849703997
2.0 m	14.99 €	1/15/30	70401	4040849704017
3.0 m	16.99 €	1/12/24	70402	4040849704024
5.0 m	19.99 €	1/12/24	70403	4040849704031
7.5 m	24.99 €	1/10/20	70404	4040849704048
10.0 m	29.99 €	1/10/20	70405	4040849704055
15.0 m	39.99 €	1/8/16	70407	4040849704079
20.0 m	49.99 €	1/8/16	70408	4040849704086



SUBJECT TO CHANGE. MODEL SIMILAR. ALL BRAND NAMES ARE REGISTERED TRADEMARKS OF THEIR RESPECTIVE OWNERS.